

**FOOD STORAGE PHEROMONE TRAP LOG**

LOCATION	NBDC NORTH BRUNSWICK NJ								
	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
SLOT#	ACTIVITY	ACTIVITY	ACTIVITY	ACTIVITY	ACTIVITY	ACTIVITY	ACTIVITY	ACTIVITY	ACTIVITY
	COUNT	COUNT	COUNT	COUNT	COUNT	COUNT	COUNT	COUNT	COUNT
43042									
43019									
42263									
42237									
42180									
42158									
42101									
42075									
42001									
41258									
41204									
41158									
41123									
41095									
41042									
41018									
40264									
40180									
40101									
40000									
37220									
37161									
37102									
37062									
37023									
36259									
36222									
36199									
36158									
36117									
36075									
36018									
35241									
35216									

**PHEROMONE TRAP GRID PROCEDURE:**

1. Use only Indian Meal moth traps. See Pesticide approved list for details
2. Replace the glue trap if it is no longer sticky or if it is older than 90 days or if the glue trap contains more than 25 moths
6. Replace the pheromone lure if it is older than 90 days.
7. Record the replacement date on the glue trap. Inspect traps with each service atleast twice/month
8. Incase of total 15 IMM found in all pheromone traps or 5 IMM found in a single pheromone trap follow the procedure which begins with interviewing the warehouse manager to intensify the pheromone trap grid intensity. This will enable you to identify the source of infestation and possible course of action such as asking Warehouse Manager to discard the infested product.
- Incase you're unable to identify the infested product then it will help you to determine pesticide treatment such as Pyrethrum ULV treatment, IGR application or Fumigation.