




SANTA CLARA COUNTY

Behavioral Health Services

**Suicide Prevention Oversight Committee
2018 Medical Examiner Data Analysis**

Overall Suicide Rates




Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
Source: U.S. Census Bureau, 2013-2017 American Community Survey 5-Year Estimates
Source: U.S. Census Bureau, 2012-2016 American Community Survey 5-Year Estimates
Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates
Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Analysis by Demographics

Age Group (2014-2018)

SUICIDE DEATH RATE PER 100,000 BY AGE GROUP FROM 2014-2018



Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2013-2017 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2012-2016 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates




Sex at Birth (2014-2018)

Sex	Frequency	Population Total	Per 100,000
Male	117	982,419	11.91
Female	31	955,151	3.25

**SUICIDE RATE PER 100,000 BY SEX
2014-2018**

■ Male ■ Female




2018 Sample

Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2013-2017 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2012-2016 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

Race/Ethnicity (2014-2018)

SUICIDE RATES FROM 2014-2018
BY RACE/ETHNICITY



*Decedents who were categorized as “Unknown” and “Other/Multiple Races” are not included in this graph, as the count for the past 5 years was too low.

Total:

14

127

106

3


13

445

Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2013-2017 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2012-2016 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

Race/Ethnicity by Age Group (2014-2018)


Suicide Rates Aggregated from 2014-2018 from Santa Clara County
Rates by Race/Ethnicity by Age Group



Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2013-2017 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2012-2016 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

Marital Status (2018 data)


Marital status of decedents are listed. It should be noted that the actual personal status and quality of the relationships are not fully known, as data was gathered by the coroner through collateral information.



Analysis by Characteristics of the Suicide Death


Suicide Location (2018 data)

The suicide location is the place in which the decedent had their fatal suicide attempt. While in most cases the suicide location is the same as the death location, in some cases, the death location does not correspond to the suicide location (e.g. dying at the hospital).




	Frequency
Home	103
Other Public	19
Car	3
Hotel/Motel	6
Park/Trail	4
Relative/Friend Home	4
Train Tracks	3
Jail	3
Work	2
Hospital/Nursing Home	1
Total	148

Past Suicide Attempts (2018 data) - Overview





Past Suicide Attempts (2018 data) - Breakdown of Past Attempts



Suicide Communication/Notes (2018 data)

Suicide Note Condensed	Frequency
No note or suicidal expression	92
Suicide note or suicidal expression	49
Unknown	7
Total	148



Communication Method	Frequency
No note	92
Suicide Note	31
Other	7
Unknown	7
Text messages	6
Verbal comments	3
Phone call/voicemail	1
Email	1
Video	0
Social media posting	0

Analysis by Suicide Decedents' City of Residence

City of Residence (2012-2015, 2018)

City	Death Rate per 100,000				
	Year				
	2012	2013	2014	2015	2018
Campbell	7.60	20.07	14.88	9.83	4.71
Cupertino	8.56	5.08	5.02	4.99	0.00
Gilroy	6.14	14.07	5.91	11.62	8.51
Los Altos	13.73	6.81	3.36	0.00	5.12
Los Gatos	10.16	13.42	13.26	16.45	6.52
Milpitas	2.99	8.86	8.65	5.59	7.46
Monte Sereno	0.00	0.00	0.00	0.00	0.00
Morgan Hill	13.15	10.30	5.02	14.68	13.29
Mountain View	4.03	6.62	14.33	3.85	8.40
Palo Alto	12.40	13.80	9.09	15.04	7.50
San Jose	6.18	6.71	7.40	6.59	7.86
Santa Clara	10.32	5.94	11.71	6.59	4.63
Saratoga	9.98	6.59	6.53	6.49	13.07
Sunnyvale	12.05	9.07	6.85	6.75	7.18

Lowest (0.00)

Midpoint (10.0)


Highest (20.0)



Data for years 2016 and 2017 had various City of Residence labeled as “unknown” and therefore could not be reported on the health map.

Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
 Source: U.S. Census Bureau, 2008-2012 American Community Survey

City of Residence by Race/Ethnicity (2014-2018)



Data for years 2016 and 2017 had various City of Residence labeled as “unknown” and had to be reported as zero in the aggregate counts. Therefore, making it look like suicide rates decreased for each city by race/ethnicity.

Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2013-2017 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2012-2016 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

City of Residence by Age Group (1)

		10 to 14	15 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+
Campbell	2012	0.00	0.00	0.00	32.15	0.00	24.84	0.00	0.00	0.00
	2013	0.00	62.85	0.00	0.00	15.30	48.34	0.00	65.49	128.70
	2014	0.00	41.60	13.92	0.00	31.14	0.00	48.03	0.00	0.00
	2015	0.00	0.00	0.00	14.96	16.06	39.80	0.00	0.00	0.00
	2018	0.00	0.00	14.13	0.00	0.00	0.00	0.00	0.00	111.11
Cupertino	2012	0.00	0.00	0.00	0.00	9.54	16.54	27.08	84.50	0.00
	2013	0.00	0.00	0.00	9.30	0.00	16.53	26.55	0.00	0.00
	2014	0.00	0.00	0.00	0.00	9.43	31.93	0.00	0.00	0.00
	2015	0.00	16.64	0.00	0.00	18.75	0.00	0.00	0.00	0.00
	2018	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gilroy	2012	0.00	0.00	14.70	0.00	15.14	20.70	0.00	0.00	0.00
	2013	0.00	28.40	14.38	13.80	0.00	40.11	39.03	0.00	0.00
	2014	0.00	0.00	0.00	0.00	14.31	37.54	0.00	0.00	0.00
	2015	0.00	12.88	0.00	26.13	43.72	0.00	0.00	0.00	0.00
	2018	0.00	0.00	0.00	12.48	13.02	17.23	28.30	54.41	0.00
Los Altos	2012	0.00	46.77	0.00	24.02	18.76	24.24	0.00	0.00	0.00
	2013	0.00	0.00	0.00	0.00	18.67	0.00	34.97	0.00	0.00
	2014	0.00	0.00	0.00	24.79	0.00	0.00	0.00	0.00	0.00
	2015	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2018	0.00	0.00	0.00	0.00	19.55	0.00	0.00	0.00	95.15
Los Gatos	2012	0.00	43.61	0.00	0.00	20.57	27.40	0.00	0.00	0.00
	2013	0.00	0.00	38.27	0.00	0.00	0.00	34.07	48.95	133.51
	2014	0.00	0.00	0.00	0.00	0.00	0.00	33.04	93.72	136.43
	2015	0.00	0.00	0.00	24.71	36.90	22.11	0.00	49.75	0.00
	2018	0.00	36.63	0.00	0.00	17.97	0.00	0.00	0.00	0.00



* These heat maps only show patterns of change of suicide rates of each city, independent of the other cities. The minimum and maximum values of each set of city data are different.


*Data for years 2016 and 2017 had various City of Residence labeled as “unknown” and therefore could not be reported on the heath map.

First decedent younger than 15 years old from 2012-2018 reported in 2018.

Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
 Source: U.S. Census Bureau, 2008-2012 American Community Survey

City of Residence by Age Group (2)

		10 to 14	15 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+
Milpitas										
2012	0.00	12.76	0.00	0.00	0.00	13.45	0.00	0.00	0.00	0.00
2013	0.00	12.22	9.42	0.00	19.20	12.58	0.00	45.72	0.00	0.00
2014	0.00	12.77	0.00	0.00	9.46	11.82	46.01	41.77	0.00	0.00
2015	0.00	0.00	8.67	8.89	9.04	0.00	21.71	0.00	0.00	0.00
2018	0.00	13.70	13.50	0.00	0.00	10.20	37.80	0.00	0.00	0.00
Monte Sereno										
2012	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2013	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2014	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2015	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2018	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Morgan Hill										
2012	0.00	0.00	23.54	17.15	31.13	0.00	0.00	0.00	0.00	0.00
2013	0.00	0.00	22.77	0.00	15.30	0.00	0.00	91.24	232.56	0.00
2014	0.00	0.00	0.00	0.00	15.43	21.37	0.00	0.00	0.00	0.00
2015	0.00	17.91	22.90	16.67	15.61	38.50	0.00	0.00	0.00	0.00
2018	0.00	19.11	0.00	0.00	46.77	0.00	28.02	71.79	0.00	0.00
Mountain View										
2012	0.00	13.31	0.00	0.00	9.99	0.00	0.00	0.00	0.00	79.68
2013	0.00	0.00	0.00	7.45	10.00	12.89	45.34	0.00	0.00	0.00
2014	0.00	13.49	6.38	7.48	9.37	52.23	21.31	0.00	162.60	0.00
2015	0.00	0.00	6.02	7.91	9.13	0.00	0.00	0.00	0.00	0.00
2018	0.00	13.61	5.31	6.90	18.93	13.49	0.00	0.00	0.00	58.00
Palo Alto										
2012	0.00	16.52	0.00	10.96	10.01	39.38	0.00	29.24	49.38	0.00
2013	0.00	31.78	0.00	11.20	19.72	12.76	17.80	59.61	0.00	0.00
2014	0.00	60.60	0.00	0.00	0.00	0.00	17.41	0.00	48.19	0.00
2015	0.00	43.04	12.09	0.00	9.87	40.03	34.24	0.00	0.00	0.00
2018	0.00	0.00	0.00	21.96	0.00	22.63	0.00	0.00	0.00	46.77



* These heat maps only show patterns of change of suicide rates of each city, independent of the other cities. The minimum and maximum values of each set of city data are different.

*Data for years 2016 and 2017 had various City of Residence labeled as “unknown” and therefore could not be reported on the heath map.

First decedent younger than 15 years old from 2012-2018 reported in 2018.

Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
 Source: U.S. Census Bureau, 2008-2012 American Community Survey

City of Residence by Age Group (3)

City	Year	10 to 14	15 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+
San Jose	2012	0.00	5.49	5.42	8.02	7.34	9.29	14.75	12.77	8.11
	2013	0.00	7.79	8.77	7.95	8.65	10.85	1.75	12.44	15.35
	2014	0.00	7.76	5.34	5.24	15.52	12.32	8.22	17.95	7.46
	2015	0.00	3.10	11.11	5.26	8.37	10.89	9.39	11.51	21.70
	2018	1.51	8.53	8.04	11.70	8.47	9.89	7.78	17.52	5.90
Santa Clara	2012	0.00	6.39	14.03	19.58	13.43	9.83	0.00	0.00	0.00
	2013	0.00	0.00	4.70	0.00	6.57	38.52	17.98	0.00	0.00
	2014	0.00	6.08	13.49	19.97	13.18	18.73	16.38	0.00	54.61
	2015	0.00	6.10	0.00	9.85	6.63	17.84	0.00	27.31	51.65
	2018	0.00	5.56	0.00	21.89	6.92	0.00	0.00	0.00	0.00
Saratoga	2012	0.00	0.00	0.00	0.00	33.20	0.00	33.56	0.00	0.00
	2013	0.00	0.00	0.00	0.00	0.00	21.30	32.48	0.00	0.00
	2014	0.00	0.00	0.00	0.00	0.00	42.19	0.00	0.00	0.00
	2015	0.00	0.00	0.00	0.00	0.00	21.23	0.00	45.52	0.00
	2018	0.00	0.00	0.00	29.64	17.03	19.42	31.32	0.00	0.00
Sunnyvale	2012	0.00	28.39	3.50	8.74	14.97	30.13	11.93	40.59	0.00
	2013	0.00	0.00	10.24	4.46	15.24	21.43	11.68	18.99	43.67
	2014	0.00	0.00	3.38	12.91	15.32	0.00	11.61	18.74	41.93
	2015	0.00	14.58	0.00	4.14	5.16	13.64	11.01	36.00	42.50
	2018	0.00	8.54	5.36	4.51	15.44	5.85	21.35	17.19	0.00



* These heat maps only show patterns of change of suicide rates of each city, independent of the other cities. The minimum and maximum values of each set of city data are different.


*Data for years 2016 and 2017 had various City of Residence labeled as “unknown” and therefore could not be reported on the heath map.

First decedent younger than 15 years old from 2012-2018 reported in 2018.


Source: U.S. Census Bureau, 2014-2018 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2011-2015 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates
 Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
 Source: U.S. Census Bureau, 2008-2012 American Community Survey

Analysis by Health Status & Treatment

Mental Health Issues (2018 data)




Graph based on total number of decedents.



	Frequency	Percentage
Unknown	67	45.27%
Depression	41	27.70%
Alcohol Abuse	29	19.59%
Drug Abuse	17	11.48%
Anxiety	15	10.13%
No diagnosis	13	8.78%
Bipolar I or II	10	6.75%
Psychotic D/O	4	2.70%
Veteran Issues	4	2.70%
MH:Other	3	2.02%
Domestic Violence	2	1.35%
OCD/Other	1	0.68%
PTSD/Trauma, Unspecified	1	0.68%
Personality D/O	1	0.68%
ADHD/ADD	0	0.00%
ASD D/O	0	0.00%
Eating D/O	0	0.00%
Parent-child relationship	0	0.00%
Sexual Assault	0	0.00%
Non-sexual physical assault	0	0.00%

Each diagnosis is counted individually.


Physical Health Issues (2018 data)



	Frequency	Percentage
Unknown/Unreported	71	47.97
No Known Condition	20	13.51
Hypertension/Other	19	12.84
Pain/Osteoporosis/Arthritis/Gout/other	18	12.16
Other physical health issue	17	11.48
Heart condition/other, Heart/Liver/Lung disease, Asthma, COPD	13	8.78
Diabetes	10	6.76
Cancer, Terminal Illness, HIV/AIDS, Tumor, Coma/vegetative state/life support/other	9	6.08
Cholesterol/Hyperlipidemia/Other	7	4.73
Sleep related issues/apnea/other	7	4.73
Stroke/seizures, Parkinsons/tremors/other	4	2.70
Nerves/spine/brain disease, Hepatitis C/Other Hepatitis, Anemic	4	2.70
GERD/IBS/Gastric issues/Urinary tract issues/incontinence	3	2.03
Skin issues/ulcers/rash/other	1	0.68
STIs	1	0.68
Alzheimers/delirium/delusions	1	0.68
Hearing loss	0	0.00

Analysis by Suicide Method

Method (2018 data)




	Frequency
Hanging	57
Firearm	45
Drugging/Poisoning	19
Asphyxiation	7
Cutting/Stabbing	6
Jumping	6
Other	6
Train Collision	2
Total	148


“Other” includes immolation

Method by Race/Ethnicity (5-Year Aggregate)


Percentages derived from total of each racial/ethnic group.



Method by Age Group (5-year Aggregate)




City of Residence by Method (5-Year Aggregate*)



Total percentage derived from city group totals.

*Year 2017 data is missing and therefore percentage rates are lowered than actuality.



Comments & Questions