

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 Fax (408) 298-6261 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Owner Name: LAZO, ALEJANRO	Facility ID: FA0201151
Facility Name: LA SANTA CRUZ BAKERY	Inspection Date: 03/16/2018
Site Address: 340 E 10TH ST E, GILROY, CA 95020	Inspection Time: 10:00-11:30
Program: PR0306063 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	

Inspected By: JEFFREY CAMP	<input type="checkbox"/> Pictures Taken
Inspection Type: ROUTINE INSPECTION	
Consent to Inspect Granted By: FABIOLA	

Major Risk Factors and Interventions Violations:

No major violations were observed during this inspection.

Minor Risk Factors and Interventions Violations:

K23 - 3 Points - Observed rodents, insects, birds, or animals - Applicable Section(s):114259.1, 114259.4, 114259.5

Inspector Observations: *There are gaps at the top and bottom of the back screen door. [CA] Seal these gaps to prevent the entrance of flies and other pests.*

Good Retail Practices Violations:

K27 - 2 Points - Food not separated and unprotected - Applicable Section(s):113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: *There is a bulk storage container in the dry storage area lacking a lid. [CA] Ensure that all food storage containers are sealed with a tight fitting lid when not in use.*

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity - Applicable Section(s):114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: *The gaskets on the upright freezer are in disrepair. [CA] Repair or replace gaskets.*

Performance Based Inspection Questions:

Satisfactory - Adequate handwash facilities: supplied or accessible.

Measured Observations:

Item	Location	Measurement	Comments
display cooler		39.00 Fahrenheit	IR
hot water	2-comp sink	120.00 Fahrenheit	
upright cooler		41.00 Fahrenheit	IR
chlorine sanitizer	bucket	100.00 PPM	

Overall Comments:

This is a change of ownership inspection.

Change of ownership packet received. Structural review completed at this time.

Food safety class taken 3/5/18.

Facility to continue operating as FP10, menu received.

Permit fee of \$789.00 received, check number # 131

New permit valid from 4/1/18 until 3/31/19. Permit application received.

This report to serve as temporary health permit until official permit is received.

Facility OK to operate.

OFFICIAL INSPECTION REPORT

Owner Name: LAZO, ALEJANRO
Facility Name: LA SANTA CRUZ BAKERY
Site Address: 340 E 10TH ST E, GILROY, CA 95020
Program: PR0306063 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10

Facility ID: FA0201151
Inspection Date: 03/16/2018
Inspection Time: 10:00-11:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/30/2018**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[COS] Corrected on Site
[CA] Corrective Action
[SA] Suitable Alternative
[PIC] Person in Charge



Received By: Fabiola

Signed On: March 16, 2018