

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 Fax (408) 298-6261 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Owner Name: AUREFLAM CORP
Facility Name: JAZEN TEA OAKRIDGE
Site Address: 925 BLOSSOM HILL RD, SAN JOSE, CA 95123
Program: PR0425338 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10

Facility ID: FA0283551
Inspection Date: 06/13/2018
Inspection Time: 15:00-15:55

Inspected By: MANDEEP JHAJJ
Inspection Type: ROUTINE INSPECTION
Consent to Inspect Granted By: GABRIEL GONZALES

Pictures Taken

Major Risk Factors and Interventions Violations:

K07M - 8 Points - Improper hot and cold holding temperatures - Applicable Section(s):11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: *Boba in the prep area measured at 68F. Per manager this boba container is in use from morning around 9:30 am. [CA] Potentially hazardous foods shall be held at or below 41/45°F or at or above 135°F. [COS] Boba VC&D into garbge bin by manager.*

Corrected on 06/13/2018

Use boba pearls only for 4 hours. Any food kept out of the cooler can be used only for 4 hours. TPHC from provided to the manager.

K21M - 8 Points - Hot and cold water not available - Applicable Section(s):113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: *Facility lacks hot water. Water heater found broken during the inspection. [CA] Hot water shall be present at the 3 comp and prep sink measuring 120F minimum. Facility is closed until hot water is restored and verified by the specialist.*

Corrected on 06/13/2018

Minor Risk Factors and Interventions Violations:

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible - Applicable Section(s):113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *Lack of paper towels inside the dispenser. Paper towel roll available in the facility. [CA] Handwashing soap and towels or drying device shall be provided in dispensers and dispensers shall be maintained in good repair.*

Good Retail Practices Violations:

No retail practices violations were observed during this inspection.

Performance Based Inspection Questions:

Satisfactory - Demonstration of knowledge; food manager certification.
 Satisfactory - Communicable disease: Report, restrict, or exclude a food employee.

Measured Observations:

Item	Location	Measurement	Comments
COOLER	FACILITY	41.00 Fahrenheit	
TOPPINGS	PRPE UNIT	41.00 Fahrenheit	
WATER	3 COMP SINK	70.00 Fahrenheit	
QUAT SANITIZER	3 COMP SINK	200.00 PPM	
BOBA	PREP TABLE	70.00 Fahrenheit	

Overall Comments:

FSC: NGUYEN HONG, FSP, 08/08/19, 21009462

FACILITY IS HEREBY CLOSED DUE TO LACK OF HOT WATER. HEALTH PERMIT IS SUSPENDED, THERE SHALL BE NO FOOD PREP IN THE FACILITY UNTIL PERMIT IS REINSTATED. TO SCHEDULE RE-INSPECTION CALL 408-781-5121, FIRST RE-INSPECTION DURING NORMAL COUNTY BUSINESS HOURS IS FREE. SECOND RE-INSPECTION WILL BE \$219/HR IF NEEDED.

**BUSINESS CARD PROVIDED TO MANAGER.
 TPHC FOR BOBA PROVIDED AS WELL.**

OFFICIAL INSPECTION REPORT

Owner Name: AUREFLAM CORP
Facility Name: JAZEN TEA OAKRIDGE
Site Address: 925 BLOSSOM HILL RD, SAN JOSE, CA 95123
Program: PR0425338 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10

Facility ID: FA0283551
Inspection Date: 06/13/2018
Inspection Time: 15:00-15:55

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/27/2018**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[COS] Corrected on Site
[CA] Corrective Action
[SA] Suitable Alternative
[PIC] Person in Charge



Received By: GABRIEL GONZALES
MANAGER

Signed On: June 13, 2018