

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0283551 - JAZEN TEA OAKRIDGE		Site Address 925 BLOSSOM HILL RD, SAN JOSE, CA 95123		Inspection Date 01/10/2019	
Program PR0425338 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name AUREFLAM CORP		Inspection Time 14:45 - 16:15
Inspected By JOSEPH SCOTT	Inspection Type ROUTINE INSPECTION		Consent By SARAH GOMEZ	FSC NGUYEN HONG 08/08/2019	

Placard Color & Score
RED
74

RISK FACTORS AND INTERVENTIO	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly			X				N
K06 Adequate handwash facilities supplied, accessible			X				N
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized		X					N
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available		X					N
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICE	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

OFFICIAL INSPECTION REPORT

Facility FA0283551 - JAZEN TEA OAKRIDGE	Site Address 925 BLOSSOM HILL RD, SAN JOSE, CA 95123	Inspection Date 01/10/2019
Program PR0425338 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name AUREFLAM CORP	Inspection Time 14:45 - 16:15

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: NO MEASURABLE SANITIZER LEVEL IN 3 COMPARTMENT SINK (SMALL BASINS) [CA] MAINTAIN 200PPM QUAT OR 100 PPM CHLORINE BASED SANITIZER

Follow-up By
01/14/2019

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: NO HOT WATER SUPPLY TO SINKS [CA] PROVIDE MINIMUM 120F AT THE WAREWASHING SINK AND 100F AT THE HAND WASH SINK. REPEAT VIOLATION.

Minor Violations

K05 - 3 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Inspector Observations: NO WARM WATER TO PROPERLY WASH HANDS [CA] RESTORE 100F MINIMUM.

Follow-up By
01/14/2019

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: NO PAPER TOWELS INSIDE THE MOUNTED DISPENSER [CA] RE-FILL. EQUIPMENT STORED IN HAND SINK BASIN [CA] REMOVE. KEEP BASIN CLEAR AND UNOBSTRUCTED FRO EMPLOYEE USE.

Follow-up By
01/14/2019

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: UTENSIL WASHING PROCEDURE IS INCORRECT [CA] USE WASH/RINSE/SANITIZE REFER TO HAND OUT STICKER PROVIDED. NO SANITIZING TEST STRIPS [CA] OBTAIN/MONITOR SANITIZER LEVELS.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: FLOORS CONTAIN PARTICLE ACCUMULATION [CA] KEEP ALL FLOORS IN A CLEAN CONDITION.

Performance-Based Inspection Questions

- Needs Improvement - Food contact surfaces clean, sanitized.
- Needs Improvement - Hot and cold water available.
- Needs Improvement - Hands clean/properly washed/gloves used properly.
- Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	3 COMPARTMENT SINK	120.00 Fahrenheit	
SANITIZER	3 "SMALL" COMPARTMENT SINK	0.00 PPM	
DAIRY/BOBA	PREP REFRIGERATION UNITS	39.00 Fahrenheit	
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
BOBA PEARLS	2 DOOR PREP REFRIGERATOR	40.00 Fahrenheit	

Overall Comments:

**RESTORE HOT WATER
REPEAT VIOLATION
CONTACT A SERVICE PROFESSIONAL TO DIAGNOSE AND SOLVE THIS ISSUE.
LEGAL ACTION PENDING CONTINUED REPEAT CLOSURES**

CLOSURE / PERMIT SUSPENSION NOTICE

OFFICIAL INSPECTION REPORT

Facility FA0283551 - JAZEN TEA OAKRIDGE	Site Address 925 BLOSSOM HILL RD, SAN JOSE, CA 95123	Inspection Date 01/10/2019
Program PR0425338 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name AUREFLAM CORP	Inspection Time 14:45 - 16:15

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/24/2019**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: SARAHI GOMEZ
STAFF

Signed On: January 10, 2019