


Demographic snapshot

	Milpitas	SCC
Population size	66,790	1,781,642
<i>Race/ethnicity</i>		
African American	3%	2%
Asian/Pacific Islander	62%	32%
Latino	17%	27%
White	15%	35%
Foreign-born	51%	37%
Speaks a language other than English at home	65%	52%
Single parent households	7%	7%
Households with children	43%	39%
Average household size	3.34	2.90
<i>Age groups</i>		
0-5 years	8%	8%
6-11 years	7%	8%
12-17 years	7%	8%
18-24 years	9%	9%
25-34 years	16%	15%
35-44 years	16%	16%
45-54 years	15%	15%
55-64 years	11%	10%
Ages 65 and older	10%	11%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: U.S. Census Bureau, 2010 Census and 2010-2014 American Community Survey 5-Year Estimates



Economic and educational opportunities

Income and job opportunities

	Milpitas	SCC
Median household income	\$99,072	\$93,854
Unemployed	3.5%	3.7%
<i>Poverty</i>		
Families below 185% FPL	14%	16%
Children (ages 0-17) below 185% FPL	18%	25%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: U.S. Census Bureau, 2010 Census and 2010-2014 American Community Survey 5-Year Estimates; State of California Employment Development Department, December 2015 downloaded 2/26/16

Opportunities for high quality and accessible education

	Milpitas	SCC
Children (ages 3-4) enrolled in preschool or nursery school	54%	57%
Educational attainment (ages ≥ 25 years)		
Less than high school	15%	13%
High school graduate	18%	15%
Some college or associates degree	26%	24%
College graduate or higher	41%	47%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

Healthy and safe environment

Safe, sustainable, accessible, and affordable transportation options

	Milpitas	SCC
Number of vehicle-pedestrian injury collisions, 1 year	21	478
Number of vehicle-bicycle injury collisions, 1 year	31	636
Number of motor vehicle collisions, 1 year	370	6669
Population that resides within a ½ mile of a transit stop with a headway of 15 minutes or less during peak commute hours	84%	65%
Residents who commute to work		
Drove alone	80%	76%
Carpooled	12%	10%
Public transportation	3%	4%
Other	5%	10%
Travel time to work over 30 minutes	35%	37%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: U.S. Census Bureau, 2010 Census and 2010-2014 American Community Survey 5-Year Estimates; Statewide Integrated Traffic Records System, 2004-2013, October 5, 2015; 2012 Transit Stops from the Metropolitan Transportation Commission

Affordable, accessible, and nutritious foods

	Milpitas	SCC
Households receiving CalFresh benefits	4%	5%
Average distance (miles) to nearest full-service grocery store	0.45	0.56
Average distance (miles) to nearest farmers' market	1.25	1.60
Number of fast food outlets per square mile	4	2.8
Adults who ate 2+ servings of fruit per day in the past 30 days	25%	27%
Adults who ate 3+ servings of vegetables per day in the past 30 days	18%	19%
Adults who ate fast food at least weekly in the past 30 days	35%	38%
Adults whose household shops for fruits and vegetables within community/neighborhood	92%	92%
Adult(s) in family ever received food from a church, a food pantry, or food bank in the past 12 months	9*%	11%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: Santa Clara County Information Services Department Farmers Markets 2016; InfoUSA, April 2014; Santa Clara County Public Health Department, 2013-14 Behavioral Risk Factor Survey

Affordable and high quality housing

	Milpitas	SCC
Households occupied by renters	35%	43%
Households with gross rent 30% or more of household income	44%	46%
Overcrowded households	8%	8%
Multi-unit housing	21%	33%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

Access to affordable and safe opportunities for physical activity

	Milpitas	SCC
Adults who met CDC recommendations for aerobic physical activity in the past month	58%	58%
Average distance (miles) to the nearest park or open space	0.16	0.29

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

The Centers for Disease Control and Prevention (CDC) suggests that adults ages 18 and older get at least 2 hours and 30 minutes (150 minutes) of moderate intensity aerobic activity (i.e., brisk walking) every week for good health; 1 hour and 15 minutes (75 minutes) of vigorous intensity aerobic activity (i.e., jogging or running); or an equivalent mix of moderate and vigorous intensity activity.

Sources: Santa Clara County Parks and Recreation, 2016; Santa Clara County Public Health Department, 2013-14 Behavioral Risk Factor Survey

Tobacco and smoke-free

	Milpitas	SCC
Adults who are current smokers	4*%	10%
Adults who smelled tobacco smoke drifting into home from nearby apartments or from outside in the past 7 days (among adults living in multi-unit housing)	19+*%	28%
Number of tobacco retail outlets per square mile	4.1	3.5

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: Santa Clara County Public Health Department, 2013 Behavioral Risk Factor Survey; California State Board of Equalization, April 2016

Safe communities, free of crime and violence

	Milpitas	SCC
Average number of violent crimes within 1 mile	6.9	16.04
Number of alcohol retail outlets per square mile	2.6	2.7
Adults who report neighborhood crime, violence, and drug activity is somewhat of or a major problem	38%	42%
Adults with any firearms now kept in or around home	2*%	11%
Adults who were ever hit, slapped, pushed, kicked, or hurt in any way by an intimate partner	10*%	12%

Notes: * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Source: Public Engines, Inc., January 1, 2012 to December 31, 2012; California Department of Alcoholic Beverage Control, off site alcohol retailers, April, 2016; Santa Clara County Public Health Department, 2013-14 Behavioral Risk Factor Survey

Health status

	Milpitas	SCC
<i>Maternal, child, and infant health</i>		
Births per 1,000 people	13.4	13.5
Low birth weight infants	8%	7%
Preterm births	9%	9%
Overweight or obese mothers in first trimester of pregnancy	34%	38%
Mothers who received early and adequate prenatal care	71%	74%
Teen live births per 1,000 females, ages 15-19	12.8	19.2
<i>Health behaviors</i>		
Adults with health coverage (ages 18-64)	87%	85%
Adults with dental insurance	64%	64%
Adults with fair or poor self-rated health	16%	19%
Adults who have health condition(s) that limit(s) activities	12%	19%
Adults who experienced frequent mental distress in the past 30 days	11*%	9%
Adults who were ever diagnosed with depression	8*%	14%
Adults who are obese	13%	20%
Adults who received a flu shot or nasal flu vaccine in the past 12 months	38%	42%
Adults who engaged in binge drinking in the past 30 days	3*%	14%
Adults who were ever diagnosed with high blood pressure (hypertension)	17%	27%
Adults who were ever diagnosed with asthma	8*%	14%
Adults who were ever diagnosed with diabetes	13*%	8%
Adults who had 1+ falls in the past 3 months (ages 45+)	9*%	15%
<i>Mortality</i>		
Life expectancy	84.0	83.4
Cancer deaths per 100,000 people	136.6	140.3
Heart disease deaths per 100,000 people	112.0	118.8
Alzheimer's disease deaths per 100,000 people	32.4	34.6
Stroke deaths per 100,000 people	31.7	27.8
Chronic lower respiratory disease deaths per 100,000 people	20.3	25.5
Unintentional injury deaths per 100,000 people	17.6	23.4
Diabetes deaths per 100,000 people	27.8	23.3
Influenza and pneumonia deaths per 100,000 people	14.6	14.3
Hypertension deaths per 100,000 people	15.7	14.6

Notes: Frequent mental distress is an indicator of general mental health and is defined as 14 or more days during the past 30 days on which mental health was not good. Early and adequate prenatal care, also known as the Kotelchuck Index is defined as care initiated by the fourth month and receiving at least 80% of recommended prenatal visits. Chronic lower respiratory disease includes asthma, COPD, bronchitis, and emphysema. * + indicates estimate is statistically unstable due to a relative standard error of greater than 30% (*) or less than 50 respondents in the denominator (+). These estimates should be viewed with caution and may not be appropriate to use for planning or policy purposes.

Sources: Santa Clara County Public Health Department, 2009-2013 Birth Statistical Master File; Santa Clara County Public Health Department, 2013 Behavioral Risk Factor Survey; Santa Clara County Public Health Department, 2009-2013 Death Statistical Master File; U.S. Census Bureau, 2010 Census; Summary File 1, Table PCT12.