



4 & 6 LANE ROADS
(EXCEPT EXPRESSWAYS)



TWO LANE ROADS




TYPICAL JOINT TRENCH
FOR INSTALLATION OF GAS, ELECTRIC
(PRIMARY & SECONDARY), TELEPHONE &
TELEVISION UNDERGROUND LINES

NOTES

1. A County encroachment permit is required for all work within the right of way.
2. The locations shown for the utilities are ideal and may change according to circumstances upon the approval of Road Commissioner.
3. Backfilling shall conform to section 19 of the County Standard Specifications.
4. Placement and cover requirements for conduits in individual or joint trenches shall conform to the California Public Utilities Commission General Order No. 112, No. 128 or their latest revisions.
5. individual or joint trenches will be allowed within the border area but must be kept clear of electrolier locations.
6. County facilities have primary location rights within all portions of the right of way.
7. See Street Lighting Standards for location of lighting facilities.

METRIC (& ENGLISH) UNITS

NO.	REVISIONS	BY	DATE	APP'D



SANTA CLARA COUNTY ROADS AND AIRPORTS DEPARTMENT

DESIGNED VAP 09/04/97	DATE 09/04/97	WORK ORDER	SUBMITTED:	APPROVAL:
DRAWN LRE 09/04/97	DATE 09/04/97	LEVEL BOOK		
CHECKED VAP 09/04/97	DATE 09/04/97	TRANSIT BOOK		

**STANDARD DETAILS
URBAN TYPICAL UTILITIES LOCATIONS**

PROJECT NO. _____ CONTRACT NO. _____ FILE NO. _____

DRAWING NO. U
SHEET NO. 1 of 1