

California Green Business Program

Checklist preview

Program: Santa Clara

Sector: Hotel



Water

DESCRIPTION

YES NO N/A Post

1. Install low flow aerators with flow rates not to exceed 0.5 gpm on lavatory sinks.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

2. Replace all urinals flushing at greater than 1.0 gallon with high efficiency urinals, flushing at less than 0.5 gallons, or waterless urinals. Your water utility may have a rebate program for high efficiency urinals.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

3. Retrofit toilets flushing at higher than 1.6 gallons with high efficiency toilets (1.28 gallons or less per flush). Your water utility may have a rebate program for high efficiency toilets.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

4. Install sink aerators that do not exceed 1.5 gpm flow in guest rooms.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------



Pollution

DESCRIPTION

YES NO N/A Post

1. Use no products with added antibacterial agents, such as triclosan. This includes products used for hand washing, dishwashing and cleaning.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

2. Use low toxic cleaning products such as those that are SF Approved (www.sfapproved.org), Green Seal certified (www.greenseal.org), or receive at least an 8.1 rating on the GoodGuide (www.goodguide.com), in non-aerosol containers.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------



Wastewater

3. Locate all potential pollutants away from food preparation, service and storage areas as well as sewer and storm drains.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

4. Maintain green waste or food compost area to prevent leaks or spills to storm drain.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

5. Do not wash cars, equipment, floor mats or other items where run-off water flows straight to the storm drain.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

6. Label all storm water drains with No dumping, Drains to Bay message. You may choose to have a volunteer organization label storm drains on your behalf.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------

7. Ensure that no wastewater enters a storm drain. Only rain down the storm drain.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------